

Safety Data Sheet CLEAR H/S W/B MODIFIED URETHANE SEMI-GLOSS



1. Identification		
Product identifier	CLEAR H/S W/B MODIFIED URETHANE SEMI-GLOSS	
Product code	WB-0260	
Other means of identification	None.	
Recommended use of the chemical and restrictions on use	PAINT.	
Manufacturer	GEMINI INDUSTRIES, INC. 2300 Holloway Drive El Reno, OK 73036 USA Tel. 1-800-262-5710 Fax 1-405-262-9310 www.gemini-coatings.com	
Emergency phone number	INFOTRAC 800-535-5053 Outside USA, Call Collect 1-352-323-3500 (French & English) 24-hour HAZMAT Response and MSDS help: EMI 800-510-8510	

2. Hazard identification

Summary
 WARNING! TOXIC! Excessive inhalation is harmful. May cause irritation to skin, eyes and respiratory tract. Do not breathe vapours, mists or aerosols. Avoid contact with skin, eyes and clothing. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved. Do not ingest. If ingested consult physician immediately and show this Safety Data Sheet. Keep containers tightly closed when not in use. After use, wash hands with soap and water. Wash contaminated clothing before reuse.

WHMIS 2015/OSHA HCS 2012/GHS



Skin irritation (Category 2)

- Eye irritation (Category 2)
- Specific target organ toxicity, single exposure, Narcotic effects (Category 3)

WARNING

- H319: Causes serious eye irritation
- H315: Causes skin irritation
- H336: May cause drowsiness or dizziness
- P261: Avoid breathing mist, vapours and spray.
- P264: Wash skin thoroughly after handling.
- P271: Use only outdoors or in a well-ventilated area.
- P280: Wear protective gloves, protective clothing and eye protection.
- P302+352: IF ON SKIN: Wash with soap and water.
- P332+313: If skin irritation occurs: Get medical advice or attention.
- P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P337+313: If eye irritation persists: Get medical advice or attention.
- P362+364: Take off contaminated clothing and wash before reuse.
- P403+233: Store in a well ventilated place. Keep container tightly closed.

3. Composition/information on ingredients			
Common name	CAS	Weight % content	
Propylene glycol monomethyl ether	107-98-2	3 - 7 %	
Propylene glycol monomethyl ether acetate	108-65-6	3 - 7 %	
2-Butoxyethanol	111-76-2	1 - 5 %	
Sodium lauryl sulfate	151-21-3	1 - 5 %	
1,2,4-Trimethylbenzene	95-63-6	1 - 5 %	
Stoddard solvent (Mineral Spirits)	8052-41-3	1 - 5 %	

4. First-aid measures		
Inhalation	Move person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen by trained personnel. If a problem develops or persists, seek medical attention.	
Skin contact	Wash skin with warm water and mild soap. Remove contaminated clothing and wash before reuse. If a problem develops or persists, seek medical attention.	
Eye contact	IMMEDIATELY flush with plenty of water. Remove contact lenses. Flush with water for at least 15 minutes. Hold eyelids apart to rinse properly. If a problem develops or persists, seek medical attention.	
Ingestion	DO NOT induce vomiting, unless recommended by medical personnel. If victim is conscious wash out mouth with water and give 1-2 glasses of water to drink. Never give anything by mouth if victim is unconscious or convulsing. If spontaneous vomiting occurs, keep head below hip level to prevent aspiration into the lungs. Seek medical attention or contact a Poison Centre immediately.	
Other	No information available.	
Symptoms	No information available.	
Notes to the physician	Treat symptomatically.	

5. Fire-fighting n	5. Fire-fighting measures		
Suitable extinguishing media	dried powder, alcohol resistant foam, water spray, carbon dioxide (CO2),		
Specific hazards arising from the chemical	This product is an aqueous solution which does not support combustion unless the water has been evaporated. Do not apply to hot surfaces. In a fire or if heated, a pressure increase will occur and the container may burst. Emits toxic fumes under fire conditions.		
Special protective equipment	Firefighters must wear self contained breathing apparatus with full face mask. Firefighting suit may not be efficient against chemicals.		
Special protective actions for fire-fighters	Use water spray to cool fire-exposed containers.		

6. Accidental rel	6. Accidental release measures		
Personal precautions, Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this protective equipment Safety Data Sheet. procedures Do not touch spilled material. Make sure to wear personal protective equipment mentioned in this			
Environmental precautions	Prevent entry in sewer and other enclosed area. For a large spill, consult the Department of Environment or the relevant authorities.		
Methods and materials for containment and cleaning upVentilate the area well. Stop leak, if it's possible to do so without risk. Absorb with inert material (soil, sand, vermiculite) or wipe up or scrape up and place in an appropriate waste disposal container clearly identified. Dispose via a licensed waste disposal contractor. Finish cleaning the contaminated surface by rinsing with soapy water.			

7. Handling and storage		
Precautions for safe handling	Use only in well ventilated area. Avoid prolonged or repeated breathing of vapour or mists. Avoid contact with skin, eyes and clothing. Wear eye protection, gloves and other protective clothing that are adapted to the task being performed and the risks involved. Avoid high temperatures and intense heat. Keep containers tightly closed when not in use. Do not eat, do not drink and do not smoke during use. Wash hands, forearms and face thoroughly after handling this compound and before eating, drinking or using toiletries. Remove contaminated clothing and wash before reuse.	
Conditions for safe storage, including any incompatibilities	Store tightly closed and in properly labelled container in a dry, cool and well ventilated place. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep away from direct sunlight and heat. Store away from oxidizing materials and incompatible materials (see section 10). Protect from frost.	
Storage temperature	10 to 35°C (50 to 95°F)	

8. Exposure	controis/i	personal	protection
		<i>percenta</i>	protoction

limits.

ImmediatelyStoddard solvent (Mineral Spirits): 20000 mg/m3.Dangerous to Life or2-Butoxyethanol: 700 ppm.

Health					
Propylene glycol monomethyl ether acetate		STEL	75 ppm		BC
		TWA (8h)	50 ppm		BC , US AIHA
			50 ppm	270 mg/m ³	ON
Propylene glycol monome	ethyl ether	STEL	100 ppm		ACGIH
			150 ppm		ON
			150 ppm	553 mg/m ³	RSST
		TWA (8h)	50 ppm		ACGIH
			100 ppm		ON
			100 ppm	369 mg/m ³	RSST
Stoddard solvent (Minera	Spirits)	STEL		580 mg/m ³	BC
		TWA (8h)		290 mg/m ³	BC
			100 ppm	525 mg/m ³	ACGIH , ON, RSST
			100 ppm	572 mg/m ³	AB
1,2,4-Trimethylbenzene		TWA (8h)	25 ppm		ACGIH , BC, ON
			25 ppm	123 mg/m ³	AB , RSST
2-Butoxyethanol		TWA (8h)	20 ppm		ACGIH , BC, ON
			20 ppm	97 mg/m ³	AB , RSST

Individual protection measures		
Eye	If there is a risk of contact with eyes, wear chemical splash goggles.	
Hands	If any risk of skin contact wear nitrile or neoprene gloves. Before using, user should confirm impermeability. Discard gloves with tears, pinholes, or signs of wear. Gloves must only be worn on clean hands. Wash gloves with water before removing them. After using gloves, hands should be washed and dried thoroughly. Disposable nitrile gloves can also be used, but discard after single use.	
Skin	Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Wear normal work clothing covering arms and legs as required by employer code. Wear synthetic apron, if necessary, to prevent repeated or prolonged contact with skin.	
Respiratory	Where the conditions in the workplace require a respirator, it is necessary to follow a respiratory protection program. Moreover, respiratory protection equipment (RPE) must be selected, fitted, maintained and inspected in accordance with regulations and standard 29 CFR 1910.134 (OSHA), ANSI Z88.2 or CSA Z 94.11 (Canada) and approved by NIOSH/MSHA. In case of insufficient ventilation or in confined or enclosed space and for an assigned protection factor (APF) up to 10 times of exposure limit, wear a half mask respirator with organic vapour cartridges. For an APF until maximum 100 times of exposure limit, wear a full face mask respirator with organic vapour cartridges.	
Feet	Wear rubber boots to clean up a spill.	

9. Physical and chemical properties

Physical state	Liquid	Flammability	Non-flammable.
Colour	Clear or coloured	Flammability limits	N/Av.
Odour	Mild acrylic odor	Flash point	>98.9°C (210°F) Tagliabue closed cup
Odour threshold	N/Av.	Auto-ignition temperature	N/Av.
рН	N/Av.	Sensibility to electrostatic charges	N.Av.
Melting point	N/Av.	Sensibility to sparks and/or friction	N.Av.
Freezing point	N/Av.	Vapour density	4.6 (Air = 1)
Boiling point	56.1 to 100°C (133 to 212°F)	Relative density	1.04 kg/L (Water = 1)
Solubility	Soluble in water.	Partition coefficient n-octanol/water	N/Av.
Evaporation rate	N/Av.	Decomposition temperature	N/Av.
Vapour pressure	0.133kPa (1 mm Hg)	Viscosity	N/Av.
Percent Volatile	67.1%	Molecular mass	N/Ap.
N/Av	.: Not Available N/Ap.: Not Applicable	Und.: Undetermined	N/E: Not Established

10. Stability and reactivity		
Reactivity	No information available.	
Chemical stability	Stable under recommended storage conditions.	
	A dangerous reaction will not occur.	

Possibility of hazardous reactions (including polymerizations)	
Conditions to avoid	Avoid contact with incompatible materials. Avoid high temperatures and intense heat.
Incompatible materials	Strong oxidants, strong bases, strong acids.
Hazardous decomposition products	In combustion: nitrogen oxides, carbon oxides (CO, CO2).

11. Toxicological information Numerical measures of toxicity Propylene glycol monomethyl ether acetate Ingestion 8532 mg/kg Rat LD50 Initiation 28.7 mg/k4h Rat LC50 Skin s 5000 mg/kg Rabbit LD50 Propylene glycol monomethyl ether Inhalation 28.4 mg/k4h Rat LC50 Skin s 5000 mg/kg Rabbit LD50 1.2.4-Trimethylbenzene Inhalation 28.4 mg/k4h Rat LC50 Skin s 3000 mg/kg Rabbit LD50 2-Butoxyethanol Inhalation 28.4 mg/k4h Rat LC50 Skin s 3016 mg/kg Rabbit LD50 Sodium lauryl sulfate Ingestion 5000 mg/kg Rat LD50 Stind allow 2.2 mg/k4h Rat LC50 Skin s 200 mg/kg Rabbit LD50 Sodium lauryl sulfate Ingestion 1288 mg/kg Rat LD50 Inhalation 2.2 mg/k4h Rat LC50 Skin s 2000 mg/kg Rabbit LD50 Stoddard solvent (Mineral Spirits) Inhalation 1288 mg/kg Rab LD50 Inhalation X Skin s -3000 mg/kg Rab LD50 Skin contact May cause explication. Poleayed, Inmediate and chronic effects May cause explicatory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headached, dizziness, drewsiness and fatigue. The severity of symptoms may vary depending on exposure conditions. <						
measures of toxicity Initiation 28.7 mg/l4h Rat LC50 Skin >5000 mg/kg Rabit LD50 Propylene glycol monomethyl ether Ingestion 6800 mg/kg Rat LD50 Inhalation 36.4 mg/l4h Rat LC50 Skin 13000 mg/kg Rabit LD50 1.2,4-Trimethylbenzene Ingestion 5000 mg/kg Rat LD50 Inhalation 18.7 mg/l4h Rat LC50 2-Butoxyethanol Ingestion 5000 mg/kg Rat LD50 Inhalation 2.2 mg/l4h Rat LC50 2-Butoxyethanol Ingestion 5000 mg/kg Rat LD50 Inhalation 2.2 mg/l4h Rat LC50 Sodium lauryl sulfate Ingestion 128 mg/kg Rat LD50 Inhalation 3.3 mg/l4h Rat LC50 Stoddard solvent (Mineral Spirits) Ingestion >12000 mg/kg Rat DD50 Inhalation 2.3 mg/l4h Rat LC50 Skin system Skin eyes, inhalation, ingestion. 38000 mg/kg Rat DD50 Inhalation 2.1 mg/l4h Rat LC50 Skin system central methyle for this product is not a skin or respiratory mg/kg Rat LD50 Inhalation Mg/lause Rat	11. Toxicolo	gical informat	ion			
Propylene glycol monomethyl ether Ingestion 6600 mg/kg Rat LD50 Inhalation 36.4 mg/l/4h Rat LD50 1,2,4-Trimethylbenzene Ingestion 5000 mg/kg Rat LD50 Inhalation 18 mg/l/4h Rat LD50 Inhalation 18 mg/l/4h Rat LD50 Skin >3160 mg/kg Rat LD50 Inhalation 2.1 mg/l/4h Rat LD50 Skin 200 mg/kg Rat LD50 Inhalation 2.1 mg/l/4h Rat LD50 Skin 200 mg/kg Rabbit LD50 Sodium lauryl sulfate Ingestion 1288 mg/kg Rat LD50 Inhalation 3.3 mg/l/4h Rat LD50 Inhalation Stoddard solvent (Mineral Spirits) Ingestion 1288 mg/kg Rat LD50 Inhalation - 3.4 mg/l/4h Rat LC50 Skin >3000 mg/kg Rat LD50 Inhalation Ingestion Skin contact May cause skin Rat LD50 Inhalation May cause skin irritation. Robon mg/kg Rat LD50 Inhalation May cause skin irritation.	measures of	Propylene glycol mor	nomethyl ether acetate	Inhalation 28.7 mg/l/4h	Rat I	LC50
1,2,4-Trimethylbenzene Ingestion 5000 mg/kg Rat LD50 Inhalation 18 mg/k4h Rat LC50 Skin >3160 mg/kg Rabbit LD50 2-Butoxyethanol Ingestion 560 mg/kg Rat LD50 Skin 220 mg/kg Rabbit LD50 Inhalation 2.21 mg/k4h Rat LD50 Sodium lauryl sulfate Ingestion 7288 mg/kg Rat LD50 Stoddard solvent (Mineral Spirits) Ingestion >5000 mg/kg Rat LD50 Likely routes of exposure Skin, eyes, inhalation, ingestion. Skin >3000 mg/kg Rat LD50 Delayed, immediate and chronic effects Eye contact May cause eye irritation. Skin contact May cause skin irritation. Prolonged and repeated contact may cause drying and cracking of the skin. Inhalation May cause respiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, diziness, wring, nausea, drowsiness and failgue. The severity of symptoms may vary depending on exposure conditions. Ingestion May cause gastro-intestinal irritation with nausea and vomiting. Respiratory or skin Ingredients listed. Classification Carcinogenicity Ingredients into taskin or respi		Propylene glycol mor	nomethyl ether	Ingestion 6600 mg/kg Inhalation 36.4 mg/l/4h	Rat I Rat I	LD50 LC50
2-Butoxyethanol Ingestion 560 mg/kg Rat LD50 Inhalation 2.21 mg/l(4h Rat LC50 Sodium lauryl sulfate Ingestion 1288 mg/kg Rat LD50 Inhalation 3.9 mg/l/1h Rat LC50 Stoddard solvent (Mineral Spirits) Ingestion 5000 mg/kg Rat LD50 Inhalation >12 mg/l/4h Rat LC50 Stoddard solvent (Mineral Spirits) Ingestion 5000 mg/kg Rat LD50 Likely routes of exposure Skin, eyes, inhalation, ingestion. Skin >30000 mg/kg Rat LD50 Delayed, immediate and chronic effects May cause eye irritation. Eye contact May cause exist irritation. Prolonged and repeated contact may cause drying and cracking of the skin. Inhalation May cause eye irritation. Exe contact May cause expiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, dizziness, verigo, nausea, drowsiness and fatigue. The severity of symptoms may vary depending on exposure conditions. Ingestion May cause gastro-intestinal irritation with nausea and vomiting. Respiratory or skin This product is not a skin or respiratory sensitizer. Respiratory or skin Ingredients present at levels greate		1,2,4-Trimethylbenze	ne	Ingestion 5000 mg/kg Inhalation 18 mg/l/4h	Rat I Rat I	LD50 LC50
Sodium lauyl sulfate Ingestion 1288 mg/kg Rat LD50 Inhalation >3.9 mg/kg Rat LD50 Stoddard solvent (Mineral Spirits) Ingestion >5000 mg/kg Rat LD50 Inhalation >12 mg/l/4h Rat LC50 Skin, eyes, inhalation, ingestion. Skin >3000 mg/kg Rabbit LD50 Delayed, immediate and chronic effects Skin contact May cause eye irritation. Prolong/kg (and repeated contact may cause drying and cracking of the skin. Inhalation May cause respiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, dizziness, vertigo, nausea, drowsiness and fatigue. The severity of symptoms may vary depending on exposure conditions. Ingestion May cause gastro-intestinal irritation with nausea and vomiting. Respiratory or skin This product is not a skin or respiratory sensitizer. sensitization Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. Teratogenicity This material is not known to cause effects on reproduction. Noticity This material is not known to cause effects on reproduction. Noticity - single exposure No specific toxicity data for some organs. Specific targ		2-Butoxyethanol		Ingestion 560 mg/kg Inhalation 2.21 mg/l/4h	Rat I Rat I	LD50 LC50
Stoddard solvent (Mineral Spirits) Ingestion >5000 mg/kg Rat LD50 Inhalation >12 mg/l/4h Rat LC50 Skin >3000 mg/kg Rat LD50 Likely routes of exposure Skin, eyes, inhalation, ingestion. Skin >3000 mg/kg Rat LD50 Delayed, immediate and chronic effects Eye contact May cause eye irritation. Prolonged and repeated contact may cause drying and cracking of the skin. Inhalation May cause respiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, dizziness, vertigo, nausea, drowsiness and fatigue. The severity of symptoms may vary depending on exposure conditions. Ingestion May cause gastro-intestinal irritation with nausea and vomiting. Respiratory or skin This product is not a skin or respiratory sensitizer. sensitization No ingredients listed. Classification Ingredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NICSH, N		Sodium lauryl sulfate		Ingestion 1288 mg/kg Inhalation >3.9 mg/l/1h	Rat I Rat I	LD50 LC50
exposureDelayed, immediate and chronic effectsEye contactMay cause eye irritation.InhalationMay cause skin irritation. Prolonged and repeated contact may cause drying and cracking of the skin. InhalationInhalationMay cause respiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, dizziness, vertigo, nausea, drowsiness and fatigue. The severity of symptoms may vary depending on exposure conditions.IngestionMay cause gastro-intestinal irritation with nausea and vomiting. Respiratory or skin This product is not a skin or respiratory sensitizer. sensitization IARC/NTPIARC/NTPNo ingredients listed. ClassificationCarcinogenicityIngredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA. TeratogenicityTeratogenicityThis material is not known to cause teratogenic effect. Mutagenicity This material is not known to cause etfects on reproduction. toxicitySpecific target organ toxicity - single exposureNo specific toxicity data for some organs. organs.		Stoddard solvent (Mi	neral Spirits)	Ingestion >5000 mg/kg Inhalation >12 mg/l/4h	Rat I Rat I	LD50 LC50
immediate and chronic effectsSkin contactMay cause skin irritation. Prolonged and repeated contact may cause drying and cracking of the skin.InhalationMay cause respiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, dizziness, vertigo, nausea, drowsiness and fatigue. The severity of symptoms may vary depending on exposure conditions.IngestionMay cause gastro-intestinal irritation with nausea and vomiting.Respiratory or skin sensitizationThis product is not a skin or respiratory sensitizer.IARC/NTP ClassificationNo ingredients listed.Classification CarcinogenicityIngredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.Teratogenicity 		Skin, eyes, inhalation	, ingestion.			
InhalationMay cause respiratory tract irritation. Excessive inhalation is harmful. High concentrations may cause central nervous system depression characterized by headache, dizziness, vertigo, nausea, drowsiness and fatigue. The severity of symptoms may vary depending on exposure conditions.IngestionMay cause gastro-intestinal irritation with nausea and vomiting.Respiratory or skin sensitizationThis product is not a skin or respiratory sensitizer.IARC/NTPNo ingredients listed.ClassificationIngredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.TeratogenicityThis material is not known to cause teratogenic effect.MutagenicityThis material is not known to cause mutagenic effect.Reproductive toxicityThis material is not known to cause effects on reproduction.Specific target organ toxicity -No specific toxicity data for some organs.Specific target organ toxicity -No specific toxicity data for some organs.	immediate and	-	May cause skin irritatio		ed conta	ct may cause drying and
Respiratory or skin sensitizationThis product is not a skin or respiratory sensitizer. sensitizationIARC/NTPNo ingredients listed.ClassificationIngredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.TeratogenicityThis material is not known to cause teratogenic effect.MutagenicityThis material is not known to cause mutagenic effect.ReproductiveThis material is not known to cause effects on reproduction. toxicitySpecific target organ toxicity - single exposureNo specific toxicity data for some organs.Specific target organ toxicity -No specific toxicity data for some organs.		Inhalation	May cause respiratory concentrations may ca headache, dizziness, v	use central nervous syst vertigo, nausea, drowsine	em depre ss and fa	ession characterized by atigue. The severity of
sensitizationNo ingredients listed.IARC/NTPNo ingredients listed.ClassificationIngredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.TeratogenicityThis material is not known to cause teratogenic effect.MutagenicityThis material is not known to cause mutagenic effect.Reproductive toxicityThis material is not known to cause effects on reproduction.Specific target organ toxicity -No specific toxicity data for some organs.Specific target organ toxicity -No specific toxicity data for some organs.		Ingestion	May cause gastro-inte	stinal irritation with nause	a and vo	omiting.
ClassificationCarcinogenicityIngredients present at levels greater than or equal to 0.1% of this product are not listed as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.TeratogenicityThis material is not known to cause teratogenic effect.MutagenicityThis material is not known to cause mutagenic effect.Reproductive toxicityThis material is not known to cause effects on reproduction.Specific target organ toxicity - 			This product is not a s	kin or respiratory sensitiz	er.	
Iisted as a carcinogen by IARC, ACGIH, NIOSH, NTP or OSHA.TeratogenicityThis material is not known to cause teratogenic effect.MutagenicityThis material is not known to cause mutagenic effect.Reproductive toxicityThis material is not known to cause effects on reproduction.Specific target organ toxicity - single exposureNo specific toxicity data for some organs.Specific target organ toxicity -No specific toxicity data for some organs.		Classification	C C			
MutagenicityThis material is not known to cause mutagenic effect.ReproductiveThis material is not known to cause effects on reproduction.toxicitySpecific targetNo specific toxicity data for some organs.organ toxicity - single exposureNo specific toxicity data for some organs.Specific target organ toxicity - single exposureNo specific toxicity data for some organs.			listed as a carcinogen	by IARC, ACGIH, NIOSH	I, NTP or	
Reproductive toxicityThis material is not known to cause effects on reproduction.Specific target organ toxicity - single exposureNo specific toxicity data for some organs.Specific target organ toxicity - organ toxicity -No specific toxicity data for some organs.				•		
toxicity Specific target No specific toxicity data for some organs. organ toxicity - single exposure Specific target No specific toxicity data for some organs. organ toxicity - organ toxicity -				-		
organ toxicity - single exposureSpecific targetNo specific toxicity data for some organs. organ toxicity -		toxicity			eproduct	ion.
organ toxicity -		organ toxicity -	No specific toxicity dat	a for some organs.		
		organ toxicity -	No specific toxicity dat	a for some organs.		

Interactive effects	No information available for this product.
Other information	The acute toxicity estimate (ATE) by inhalation of the mixture was calculated to be greater than 20 mg/L/4h. This value is not classified according to GHS. The oral and skin acute toxicity estimates (ATE) of the mixture were calculated to be greater than 2000 mg/kg. These values are not classified according to WHMIS 2015 and OSHA HCS 2012.


12. Ecological information		
Ecological toxicity	N/Av. LC50 N/Av.	
Persistence	No information available for this product.	
Degradability	No information available for this product.	
Bioaccumulative potential	No information available for this product.	
Mobility in soil	No information available for this product.	
Other adverse effects	No information available for this product.	

13. Disposal considerations


Container

Important! Prevent waste generation. Use in full. DO NOT dispose residue in sewers, streams or drinking water supply. Paint residues including lacquer, thinner, stain, shellac, varnish, polish can be reprocessed everywhere there is a recycling program. Dispose via a licensed waste disposal contractor. Observe all federal, state/provincial and municipal regulations. If necessary consult the Department of Environment or the relevant authorities.

14. Transport information				
UN Number	UN			
UN Proper Shipping Name	Not regulated by TDG (Canada) and 49 CFR DOT (USA).			
Environmental hazards	This material is not listed as a marine pollutant.			
Special precautions for user	No information available.			
TDG - Transportation of Dangerous Goods (Canada)				
Transport hazard class(es)	Not regulated			
Packing group	Not regulated			
IMO/IMDG - Internationa	I Maritime Transport			
Classification	Not regulated			
IATA - International Air Transport Association				
Classification	Not regulated			
	re provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper aging. In addition, if a domestic exemption exists, it is the responsibility of the shipper to define the application of it.			



Class D2B : Toxic material causing other toxic effects



16. Other information			
Date (YYYY-MM-DD)	GEMINI INDUSTRIES, INC. 2014-12-15		
Version	01		
Other information	 REFERENCES: Haz-Map, Information on Hazardous Chemicals and Occupational Diseases, http://hazmap.nlm.nih.gov/index.php Service du répertoire toxicologique de la Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST), http://www.reptox.csst.qc.ca IUCLID Chemical Dataset, European Chemical Substances Information System (ESIS), Joint Research Centre, http://esis.jrc.ec.europa.eu NIOSH Pocket Guide to Chemical Hazards, Centers for Disease Control and Prevention, NIOSH Publications, 2007, http://www.cdc.gov/niosh/npg/ngj.html IPCS INCHEM, Chemical Safety Information from Intergovernmental Organizations, Canadian Centre for Occupational Health and Safety (CCOHS), Copyright International Programme on Chemical Safety (IPCS), http://www.inchem.org ACGIH: American Conference of Governmental Industrial Hygienists AIHA: American Industrial Hygiene Association HMIS: Hazardous Materials Identification System NFPA: National Fire Protection Association OSHA: Occupational Safety and Health Administration (USA) NIOSH: National Institute for Occupational Safety and Health 		

NTP: National Toxicology Program RSST: Règlement sur la santé et la sécurité du travail (Québec) GHS: Globally Harmonized System IARC: International Agency for Research on Cancer IDLH: Immediately Dangerous to Life or Health STEL: Short Term Exposure Limit (15 min) TWA: Time Weighted Averages WHMIS: Workplace Hazardous Materials Information System

To the best of our knowledge, the information contained herein is accurate. However, neither Préventis System nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.