

01/10/24 SAFETY DATA SHEET [According to OSHA Hazard Communication Standard (HCS) 29 CFR 1910.1200] Page 1 of 10

SECTION 1. IDENTIFICATION

PRODUCT INFORMATION

TRADE NAME : UV SEALER RC FORMULA : UV-1173

HMIS NUMBER

HMIS NUMBER : 2-1-0 CHEMICAL NAME : ACRYLATED MATERIAL ORG CHEMICAL FAMILY : ORGANIC COMPOUND

PRODUCT USE : A PROTECTIVE AND/OR DECORATIVE FINISH OR ACCOMPANYING PRODUCT (reference label or product data sheet for more information).

NOT RECOMMENDED FOR: ANY OTHER USE NOT DETAILED ON PRODUCT DATA SHEET OR LABEL.

SUPPLIER INFORMATION

MANUFACTURER FOR :

Gemini Coatings 2300 Holloway Drive El Reno, OK 73036 800-262-5710

EMERGENCY PHONE :

24- Hour Emergency (Spill, Leak, Exposure or Accident):

INFOTRAC 800-535-5053

Outside USA, Call Collect 1-352-323-3500

24- Hour Emergency HAZMAT Response and MSDS Help:

EMI 800-510-8510

SECTION 2. HAZARD(S) IDENTIFICATION

GHS CLASSIFICATION

Skin Corr./Irrit. 2 Skin corrosion/irritation

Eye Dam./Irrit. 1 Serious eye damage/eye irritation

1 Skin Sens. Skin sensitization

Aquatic Acute Hazardous to the aquatic environment - acute

LABEL ELEMENTS

HAZARD PICTOGRAMS:

SECTION 2. HAZARD(S) IDENTIFICATION



P280





SIGNAL WORD

: WARNING

HAZARD STATEMENTS:

	Causes serious eye damage.
н315	Causes skin irritation.
н317	May cause an allergic skin reaction.
H401	Toxic to aquatic life.

PRECAUTIONARY STATEMENTS:

PR	FV	ΈN	тΤ	OM:

P200	wear protective groves and eye/race protection.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash with plenty of water and soap thoroughly after handling.
RESPONSE:	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Wear protective gloves and eye/face protection.

Immediately call a POISON CENTER or doctor/physician. P310 P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. P362 + P364

DISPOSAL:

P501 Dispose of contents/container to hazardous or special waste collection

point.

SECTION 2. HAZARD(S) IDENTIFICATION

SPECIAL PACKAGING REQUIREMENTS

OTHER HAZARDS

No specific dangers known, if the regulations/notes for storage and handling are considered.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

DANGER:

Irritating to skin.

May cause sensitization by skin contact.

Risk of serious damage to eyes.

Avoid contact with the skin, eyes and clothing.

Avoid inhalation of mists/vapours.

Use with local exhaust ventilation.

Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Wear NIOSH-certified chemical goggles.

Wear protective clothing.

Wear full face shield if splashing hazard exists.

SECTION 3. COMPOSITION, INFORMATION ON INGREDIENTS

PERCENT

INGREDIENT DESCRIPTION

CAS NUMBER BY WGT

INGREDIENT DESCRIPTION

CAS NUMBER

PERCENT BY WEIGHT

No known hazardous ingredients

"X" Indicates substance is a HAP, reportable under SARA III, Section 313, if 10,000 lbs of an item used per calendar year.

SECTION 4. FIRST AID MEASURES

FIRST-AID INSTRUCTIONS

SKIN CONTACT Wash affected areas thoroughly with soap and water. Seek medical attention.

EYE CONTACT Wash affected eyes for at least 15 minutes under running water with eyelids

held open. Seek medical attention.

INHALATION If difficulties occur after vapour/aerosol has been inhaled, remove to fresh

air and seek medical attention.

INGESTION Rinse mouth immediately. Give exposed individual 6 to 9 oz of liquid.

Consult physician.

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND CHRONIC

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

SECTION 4. FIRST AID MEASURES

RECOMMENDATIONS FOR IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5. FIRE-FIGHTING MEASURES

FLASH POINT OVER 200 TCC N/R

LEL N/A UEL N/A

EXTINGUISHING MEDIA: Foam, CO2, dry chemical, water fog.

Unsuitable extinguishing media for safety reasons:

water jet

UNUSUAL FIRE AND EXPLOSION HAZARDS:

The material will not support combustion.

SPECIAL FIREFIGHTING PROCEDURES:

Hazards during fire-fighting: harmful vapours. Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

ADVICE FOR FIREFIGHTERS:

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

SECTION 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Further accidental High risk of slipping due to leakage/spillage of product.

release measures:

Personal precautions, Use personal protective clothing. Keep people away and stay on the protective equipment, upwind side.

emergency procedures

ENVIRONMENTAL PRECAUTIONS

Do not discharge into drains/surface waters/groundwater

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Remove with inert absorbent. Sweep or scrape up and containerize disposal.

SECTION 7. HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING

Keep away from sources of ignition - No smoking.

Protection against fire Heated containers should be cooled to prevent polymerization.

and explosion: Take precautionary measures against static discharges.

STORAGE:

Further information on storage Avoid all sources of ignition: heat, sparks, open flame.

conditions: Protect from direct sunlight.

Storage stability: Storage temperature: equal or less than 35C

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

CONTROL PARAMETERS

EXPOSURE CONTROLS

ENGINEERING CONTROLS:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits. Ensure that eyewash stations and safety showers are proximal to the work-station location.

PRECAUTIONS:

SKIN PROTECTION:

Long sleeves and pants to avoid skin contact

HAND PROTECTION:

Gloves.

EYE PROTECTION:

Splash goggles/face shield.

RESPIRATORY PROTECTION:

Vapor respirator.A respirator protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever work place conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

OTHER PROTECTIVE EQUIPMENT:

Ensure that eyewash stations and safety showers are proximal to the work-station location.









SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BASIC PHYSICAL AND CHEMICAL PROPERTIES

: OVER 200 TCC(deg F) 212 FLASH POINT

LEL

HET.

APPEARANCE

: CLEAR IN COLOR

ODOR : N/A

: 212 (deg F) BOILING POINT (mmHg)VAPOR PRESSURE : VAPOR DENSITY : (AIR = 1)

WATER SOLUBLE : NO

RELATIVE DENSITY: 11.142

(WEIGHT/GALLON)

PH (range) : N/A : N/A

SOLUBILITY AUTO IGNITION

TEMPERATURE : N/A

DECOMPOSITION

TEMPERATURE : N/A

VISCOSITY : SEE PRODUCT DATA SHEET MELTING POINT: N/A

EVAPORATION RATE: N/A

FLAMMABILITY (solid, gas): N/A
PARTITION COEFFICIENT: N/A

ODOR THRESHHOLD: N/A

% SOLIDS (+/-2) WGT: 100.000 % SOLIDS (+/-2) VOL: 100.000 VOC (LB/GL) ACTUAL: 0 000

VOC (q/L) ACTUAL:

VOC (LB/GL) COATING: 0.000

VOC (g/L) COATING:

VOC (LB/GL) SANS WATER: 0.000

VOC (g/L) SANS WATER:

Density, %solids and %VOC analysis reference method 24 VOC IS LESS ANY FEDERALLY EXEMPT SOLVENT

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Based on its structural properties the product is not classified as oxidizing. (other)

Forms no flammable gases in the presence of water. Formation of

flammable gases:

CHEMICAL STABILITY

Stable.

POSSIBILITY OF HAZARDOUS REACTIONS:

The product is stabilized against spontaneous polymerization prior to despatch. The product can polymerize if the shelf life or storage temperature are greatly exceeded. Heat develops during polymerization. Reacts with peroxides and other radical components. The product is chemically stable. Radical formation can cause exothermic polymerization

UV-1173 Page 7 of 10

SECTION 10. STABILITY AND REACTIVITY

INCOMPATIBILITY (MATERIALS TO AVOID) :

Avoid extreme heat.

Incompatible materials:

peroxides, free radical initiators

HAZARDOUS DECOMPOSITION PRODUCTS:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

125C, 2 K/min (DSC (DIN 51007))

Polymerization takes place above the indicated temperature.

HAZARDOUS POLYMERIZATION CONDITIONS TO AVOID: None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

ACCUTE TOXICITY/EFFECTS:

ACUTE TOXICITY

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic after a single skin contact. Inhalation-risk test (IRT): No mortality within 7 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Analogous: Assessment derived from products with similar chemical character.

Inhalation-risk test (IRT): No mortality within 7 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Causes temporary irritation of the respiratory tract. Eye contact causes irritation. Skin contact causes irritation.

Skin

Species: rabbit Result: Irritant.

Method: OECD Guideline 404

Eye

Species: rabbit

Result: Risk of serious damage to eyes.

Method: OECD Guideline 405

Sensitization

Assessment of sensitization: The substance may cause sensitization of the respiratory tract.

Sensitization after skin contact possible.

Mouse Local Lymph Node Assay (LLNA)

Species: mouse

Result: sensitizing

Method: OECD Guideline 429

Aspiration Hazard

SECTION 11. TOXICOLOGICAL INFORMATION

not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No other known chronic effects.

After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. No other known chronic effects.

Genetic toxicity

Assessment of mutagenicity: The data available on mutagenic action are not consistent. The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in studies with mammals. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

CARCINOGENICITY:

Substances have not been identified as a carcinogen or probable carcinogen by NTP, IARC, OSHA, EU, ACGIH or CPSC.

SECTION 12. ECOLOGICAL INFORMATION

TOXICITY

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely toxic for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations

Toxicity to fish LC50 (96 h) from 1 to 10 mg/l, Brachydanio rerio (static)

Aquatic invertebrates EC50 (48 h) from 10 to 100 mg/l, Daphnia magna (Directive 84/449/EEC,

C.2, static)

Aquatic plants EC50 (72 h) from 10 to 100 mg/l, Scenedesmus subspicatus (static)

Chronic toxicity to fish Study scientifically not justified.

Chronic toxicity to IIsh Study scientifically not justified.

Study scientifically not justified.

aquatic invertebrates

Assessment of terrestrial Study scientifically not justified.

toxicity

Toxicity to microorganisms OECD Guideline 209 aerobic activated sludge, domestic/EC20 (0.5 h): more than 1,000 mg/l

Nominal concentration.

PERSISTENCE AND DEGRADABILITY

Assessment biodegradation Readily biodegradable (according to OECD criteria).

MID*AMERICA PROTECTIVE COATINGS SAFETY DATA SHEET

UV-1173 Page 9 of 10

SECTION 12. ECOLOGICAL INFORMATION

and elimination (H2O)

Elimination information From 90 to 100 % DOC reduction (28 d) (OECD 301 A (new version))

(aerobic, activated sludge, domestic)

Assessment of stability According to structural properties, hydrolysis is not expected/probable.

in water

Bioaccumulative potential

Assessment bioaccumulation Because of the n-octanol/water distribution coefficient (log Pow)

potential accumulation in organisms is not to be expected.

MOBILITY IN SOIL

Assessment transport The substance will not evaporate into the atmosphere from the water

between environmental surface.

compartments Adsorption to solid soil phase is not expected.

ADDITIONAL INFORMATION

Do not release untreated into natural waters.

SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Observe all applicable Federal/State regulations and local ordinances.

SECTION 14. TRANSPORT INFORMATION

	DOT	TDG	Mexico	ADR/RID	IMDG	IATA
UN NUMBER	Not regul.					
UN PROPER SHIPPING NA	- AME	-	-	-	-	-
TRANSPORT HAZARD CLAS	- SS	-	-	-	-	-
PACKAGING (GROUP -	-	-	-		-
PRECAUTIONS	S No	No	No	No	No	No

SECTION 15. REGULATORY INFORMATION

TSCA : LISTED DSL/NDSL: LISTED

SECTION 313 SUPPLIER NOTIFICATION:

This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

EPCRA 311/312 (Hazard categories):

NONE

State regulations

CHEMICAL NAME CAS NUMBER PERCENT BY WEIGHT

MID*AMERICA PROTECTIVE COATINGS SAFETY DATA SHEET

UV-1173 Page 10 of 10

SECTION 15. REGULATORY INFORMATION

NONE

CALIFORNIA PROP. 65:

This product contains the following ingredients for which the State of California has found to cause cancer, which would require a warning under the statute:

CHEMICAL NAME

CAS NUMBER

NONE

SECTION 16. OTHER INFORMATION

OTHER PRECAUTIONS

PRECAUTIONS TO BE TAKEN: KEEP FROM FREEZING. Protect drums against physical damage. Do not take internally. Wash hands thoroughly after handling.

THE INFORMATION CONTAINED HEREIN IS INFORMATION RECEIVED FROM OUR RAW MATERIAL SUPPLIERS AND OTHER SOURCES AND IS BELIEVED TO BE RELIABLE. HOWEVER.

BE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS ACCURACY OR COMPLETENESS. THE CONDITIONS OF

HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME ANY RESPONSIBILITY

RESPONSIBILITY
AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR

DISPOSAL OF THE PRODUCT.